

NEIGHBOURHOOD RECOGNITION PROGRAM

WILDFIRE HAZARD ASSESSMENT FORM


INTRODUCTION

FireSmart™ Canada's Neighbourhood Recognition Program teaches people how to live with wildfire and increase their home's chance of survival through proactive actions, while encouraging neighbours to work together to reduce losses and damage. The Neighbourhood Wildfire Hazard Assessment is an important step in the FireSmart neighbourhood recognition process. It's a tool to help neighbourhood residents understand their wildfire hazard and how to reduce it.

Research has shown embers (burning pieces of airborne wood and/or vegetation that can be carried

up to two kilometres by the wind) and small surface fires to be the primary source of home ignitions during wildfires.

Residents must prepare their home to withstand embers and minimize the likelihood of flames or surface fire touching the home or any attachments. This can be accomplished by choosing ignition-resistant building materials and construction techniques and limiting the amount of flammable vegetation in the four home ignition zones that surround each home - periodic maintenance of vegetation is also important.



OVERVIEW

It is not uncommon for home ignition zones to overlap onto adjacent properties. This makes the conditions of neighbouring homes and vegetation a part of the wildfire threat. To maximize benefits, it's important that neighbours work together to reduce their shared wildfire hazard and risk.

The Neighbourhood Wildfire Hazard Assessment speaks to the general conditions in the neighbourhood and does not provide details on individual properties.

The assessment process:

- Is completed by the Local FireSmart Representative during a walkthrough or a drive-by of the neighbourhood and does not require each individual dwelling unit to have a home hazard assessment completed prior to the neighbourhood assessment
- Needs a logical recognized neighbourhood boundary (defined by streets, adjacent public property, infrastructure right of ways etc.)

The assessment should focus on:

- Vulnerability of homes to embers, ignition of small surface fires, and crown fire
- Condition of the structures themselves
- Immediate hazards within the Home Ignition Zone on individual properties
- Concerns presented by common/open space areas or adjacent public lands.

Also consider factors that impact hazard and influence fire behaviour or structure ignitability:

- Home construction characteristics (materials used for roofs, siding, decks, etc)
- General landscaping characteristics - vegetation types and condition
- Slope and aspect (direction a neighbourhood faces - north, south, east, or west)
- Housing density.

The recommendations provided by the completed Neighbourhood Wildfire Hazard Assessment will be prioritized in the FireSmart Neighbourhood Plan and used by the FireSmart Neighbourhood Committee to organize FireSmart Events within the neighbourhood boundaries.

DEFINING THE FIRESMART NEIGHBOURHOOD

The size of the FireSmart Neighbourhood is largely determined by the FireSmart Neighbourhood Champion and Committee – their comfort level with the location and number of neighbourhood properties is all important. It may be most efficient

to limit the size of the neighbourhood to ‘block party sized’ groups of between 20 and 50 homes. Larger neighbourhoods that feature existing homeowner or cottager associations may also be quite workable.

General Neighbourhood Description

Neighbourhood Name:			
Community (Town/City):		Prov/Terr:	
Latitude:		Longitude:	

Boundary Description: (Provide a description of the neighbourhoods recognized boundaries such as streets, crown or municipal land parcels, utility or other infrastructure right of ways, etc.):

General Neighbourhood Information

Number of properties – homes within the neighbourhood's identified boundary.

Note: Multiple neighbourhoods can be located within a single large community.

General Neighbourhood Information

For definition purposes, a dwelling unit is a:

- Household/residence built for occupancy by one person, a family, or roommates, including mobile homes and cabins; and for multi-family residential occupancies (i.e. duplexes or townhomes)
- An apartment building with 10 units would be considered ten dwelling units

Description of Properties within the Boundary

Number of dwelling units:		Number of residents:	
---------------------------	--	----------------------	--

Residential types in the neighbourhood (check all that apply):

<input type="checkbox"/> Single family	<input type="checkbox"/> Duplex	<input type="checkbox"/> Townhomes
<input type="checkbox"/> Apartment	<input type="checkbox"/> Mobile/Manufactured	<input type="checkbox"/> Other

Types of ownership (check all that apply):

<input type="checkbox"/> Private	<input type="checkbox"/> Common	<input type="checkbox"/> Public (Crown/Municipal)
----------------------------------	---------------------------------	---

Lot sizes (check all that apply):

<input type="checkbox"/> Less than 0.05 hectares or 500 square metres - (30' x 100' lot = 0.03 hectares)
<input type="checkbox"/> 0.05 to 0.1 hectares or 500 to 1,000 square metres - (60' x 100' lot = 0.06 hectares)
<input type="checkbox"/> 0.1 to 0.25 hectares or 1,000 to 2,500 square metres - (100' x 100' lot = 0.1 hectares)
<input type="checkbox"/> Greater than 0.5 hectares or 5,000 square metres

Other neighbourhood information

eg – Full time residents vs vacation/absentee residents, commercial/business operations, existing Homeowners Association or other groups.

--

Description of Local Wildland Fire Characteristics

Fire intensity and rate of spread depend on the vegetation type (coniferous/deciduous) and condition (live/dead), topography, and typical weather patterns.

Describe the common vegetation type(s) in the neighbourhood (i.e., grasses, shrubs, and trees):

Describe the topography within the neighbourhood (geographical features such as steep slopes and what direction the slope faces, presence of ravines and gullies or is the area primarily flat):

Wind exposure:

<input type="checkbox"/> No regular exposure to winds	<input type="checkbox"/> Regularly exposed to winds	<input type="checkbox"/> Frequent severe winds
---	---	--

History of wildfire:

<input type="checkbox"/> Area with recent history of fire occurrence	<input type="checkbox"/> Area with history of fire occurrence
<input type="checkbox"/> Area with no history of fire occurrence	<input type="checkbox"/> Unknown

NEIGHBOURHOOD OBSERVATIONS

Use this section to record observations from within the neighbourhood and recommendations for action that can be included in the Neighbourhood Plan. Photos that illustrate successful hazard reduction efforts and areas that need improvement are useful and may be filed with Neighbourhood Recognition Program documents.

Remember, this is a neighbourhood-wide view and should report on the overall conditions of the entire neighbourhood. Individual home ignition zone assessments are not required for the Neighbourhood Wildfire Hazard Assessment.

Observations

The observation section is broken down by the characteristics of homes and the vegetation management within the home ignition zones and common areas. Mark the appropriate box for each category that best represents the conditions within the neighbourhood.

Homes

General building construction - are the homes made from ignition resistant building materials?

Roofing Materials

Fire-rated – good condition roof materials (metal, clay, asphalt shingles) vs

Fire-rated – poor condition or un-rated roof materials (wooden shake).

- | |
|---|
| <input type="checkbox"/> Greater than 75% of homes have fire-rated roof materials (metal, clay, asphalt shingles) |
| <input type="checkbox"/> 50 to 75% of homes have fire-rated roof materials (metal, clay, asphalt shingles) |
| <input type="checkbox"/> 25 to 50% of homes have fire-rated roof materials (metal, clay, asphalt shingles) |
| <input type="checkbox"/> Less than 25% of homes have fire-rated roof materials (metal, clay, asphalt shingles) |

Gutter Type and Roof Cleanliness

Gutter Type and leaf litter, pine needles, or debris on roof or in gutters.

- | |
|--|
| <input type="checkbox"/> Greater than 75% of homes have non-combustible gutters, with cleaned roof and gutters |
| <input type="checkbox"/> 50 to 75% of homes have non-combustible gutters, with cleaned roof and gutters |
| <input type="checkbox"/> 25 to 50% of homes have non-combustible gutters, with cleaned roof and gutters |
| <input type="checkbox"/> Less than 25% of homes have non-combustible gutters, with cleaned roof and gutters |

Vents and Openings

Vents allow air to flow in or out of buildings and can be a potential ignition source.

- | |
|--|
| <input type="checkbox"/> Greater than 75% of homes have non-combustible, fire-rated vents with 3mm screening |
| <input type="checkbox"/> 50 to 75% of homes have non-combustible, fire-rated vents with 3mm screening |
| <input type="checkbox"/> 25 to 50% of homes have non-combustible, fire-rated vents with 3mm screening |
| <input type="checkbox"/> Less than 25% of homes have non-combustible, fire-rated vents with 3mm screening |

Building exterior or siding

Non-combustible or ignition resistant siding - fibre cement, stucco, log metal, brick/stone vs
Combustible siding - vinyl or wood.

- | |
|--|
| <input type="checkbox"/> Greater than 75% of homes have non-combustible or ignition resistant siding |
| <input type="checkbox"/> 50 to 75% of homes have non-combustible or ignition resistant siding |
| <input type="checkbox"/> 25 to 50% of homes have non-combustible or ignition resistant siding |
| <input type="checkbox"/> Less than 25% of homes have non-combustible or ignition resistant siding |

Ground-to-siding clearance

15 centimetres non-combustible vertical ground-to-siding clearance.

- | |
|--|
| <input type="checkbox"/> Greater than 75% of homes have 15 cms non-combustible vertical ground-to-siding clearance |
| <input type="checkbox"/> 50 to 75% of homes have 15 cms non-combustible vertical ground-to-siding clearance |
| <input type="checkbox"/> 25 to 50% of homes have 15 cms non-combustible vertical ground-to-siding clearance |
| <input type="checkbox"/> Less than 25% of homes have 15 cms non-combustible vertical ground-to-siding clearance |

Balcony, deck, porch

Non-combustible decks feature no gaps or cracks, heavy timber, non-combustible or fire-rated construction with non-combustible surface and no combustible debris under deck.

- | |
|--|
| <input type="checkbox"/> Greater than 75% of homes have non-combustible deck with no combustibles under deck |
| <input type="checkbox"/> 50 to 75% of homes have non-combustible deck with no combustibles under deck |
| <input type="checkbox"/> 25 to 50% of homes have non-combustible deck with no combustibles under deck |
| <input type="checkbox"/> Less than 25% of homes have non-combustible deck with no combustibles under deck |

Window Glass

Tempered or multi-pane vs single pane windows.

- | |
|--|
| <input type="checkbox"/> Greater than 75% of homes have tempered or multi-pane windows |
| <input type="checkbox"/> 50 to 75% of homes have tempered or multi-pane windows |
| <input type="checkbox"/> 25 to 50% of homes have tempered or multi-pane windows |
| <input type="checkbox"/> Less than 25% of homes have tempered or multi-pane windows |

Non-Combustible Zone

The area up to 1.5 metres from the ground-level exterior footprint of the structure including any attachments or extensions must feature a non-combustible surface, with no combustible debris, materials, fences or plants present.

- | |
|--|
| <input type="checkbox"/> Greater than 75% of homes have treated Non-Combustible Zone |
| <input type="checkbox"/> 50 to 75% of homes have treated Non-Combustible Zone |
| <input type="checkbox"/> 25 to 50% of homes have treated Non-Combustible Zone |
| <input type="checkbox"/> Less than 25% of homes have treated Non-Combustible Zone |

Zone 1

The area 1.5 metres to 10 metres from the home must feature:

- i) No coniferous (evergreen) forest vegetation
- ii) Surface vegetation of grass less than 10 centimetres long or non-combustible surface and low flammability (deciduous) plants
- iii) No woodpiles and other combustible materials, vehicles or outbuildings not meeting FireSmart standards

- | |
|--|
| <input type="checkbox"/> Greater than 75% of homes have treated Zone 1 |
| <input type="checkbox"/> 50 to 75% of homes have treated Zone 1 |
| <input type="checkbox"/> 25 to 50% of homes have treated Zone 1 |
| <input type="checkbox"/> Less than 25% of homes have treated Zone 1 |

Zone 2

The area 10 metres to 30 metres from the home must feature:

- i) Separated coniferous (evergreen) forest vegetation (3 metres between adjacent treetops)
- ii) Reduced surface vegetation (dead branches, long grass, needles)
- iii) Flammable shrubs (coniferous) should be spaced out and away from coniferous trees
- iv) No low-lying coniferous tree branches (less than 2 metres from ground)

- | |
|--|
| <input type="checkbox"/> Greater than 75% of homes have treated Zone 2 |
| <input type="checkbox"/> 50 to 75% of homes have treated Zone 2 |
| <input type="checkbox"/> 25 to 50% of homes have treated Zone 2 |
| <input type="checkbox"/> Less than 25% of homes have treated Zone 2 |

Zone 3

The area 30 metres to 100 metres from the home is often a common/open space area or an adjacent public/private land area.

This area is often not owned by neighbourhood residents but may feature accumulated wildland fuels that can support wildfires spreading towards or through the neighbourhood.

- | |
|--|
| <input type="checkbox"/> Neighbourhood is adjacent to wildlands with accumulated fuels |
| <input type="checkbox"/> Neighbourhood is not adjacent to wildlands with accumulated fuels |

Is there a management plan for the wildland fuels in Zone 3? If so, please describe:

Additional comments or observations regarding neighbourhood conditions:

SUMMARY AND RECOMMENDATIONS

Use this section to summarize observations made in the Neighbourhood Wildfire Hazard Assessment.

Home Ignition Zone Hazard Factor Summary – Part 1

Provide a percentage number in the blank provided to summarize approximate neighbourhood FireSmart compliance for each hazard factor.

Roofing Materials - page 6	%	of homes have fire-rated roof materials (metal, clay, asphalt shingles)
Gutter Type and Roof Cleanliness - page 6	%	of homes have cleaned and maintain their roof and gutters
Vents and Openings - page 7	%	of homes have non-combustible, fire-rated vents with 3mm screening
Building exterior or siding - page 7	%	of homes have non-combustible or ignition resistant siding
Ground-to-siding clearance - page 7	%	of homes have 15 cms non-combustible vertical ground-to-siding clearance
Balcony, deck, porch - page 8	%	of homes have non-combustible deck with no combustibles under deck
Window Glass: Multi-pane vs single pane windows - page 8	%	of homes have multi-pane windows
Non-Combustible Zone - page 8	%	of homes have treated Non-Combustible Zone
Zone 1 - page 9	%	of homes have treated Zone 1
Zone 2 - page 9	%	of homes have treated Zone 2

Home Ignition Zone Hazard Factor Summary – Part 2

List issues identified and ranked as priorities for hazard mitigation as well as areas where there is high compliance with FireSmart guidelines within the neighbourhood.

Emphasis should be on the FireSmart status of the homes and Non-Combustible Zone/Zone 1 areas.

Recommendations – Provide recommendations for neighbourhood activities to reduce wildfire hazard.

NEXT STEPS

The information collected during the Neighbourhood Wildfire Hazard Assessment process will help develop recommendations that can be applied to the neighbourhood's FireSmart Neighbourhood Plan - a prioritized list of hazard reduction projects and the related investments needed to achieve them for the neighbourhood. The FireSmart Neighbourhood Plan also highlights suggested homeowner actions and education activities - called FireSmart Events - that participants will strive to complete - generally one event per year, over a period of multiple years. FireSmart Neighbourhood Plans should be updated at least every three years.

Neighbourhood Wildfire Hazard Assessment recommendations may address other neighbourhood/ fire safety issues such as:

- Ingress/egress routes
- Street signs and address numbers
- Location of fire service and capabilities
- Water supply for fire service response - hydrant locations

The local fire department can offer assistance in determining what other safety issues should be addressed.

Assessment Participants

List the principal participants who assisted in development of this document. This will be the Local FireSmart Representative, the Neighbourhood Champion or Committee members, local Fire Chief etc.

Name	Role/Organization	Phone	Email	Date

** Note - FireSmart™ and associated Marks are trademarks of the Canadian Interagency Forest Fire Centre (CIFFC).*

***PLEASE READ - Legal Disclaimer** - The information contained herein provides general information only. While it is believed to be accurate, it is provided without representation or warranty of any kind, including as to its accuracy or its suitability for the purpose(s) for which you may wish to rely on it. Accordingly any and all use of or reliance on such information shall be in your own discretion and at your own risk. For greater clarity, Canadian Interagency Forest Fire Centre (CIFFC) (FireSmart Canada) accepts no responsibility or liability for any injury, loss or damage, whether direct, indirect, special, incidental, punitive or consequential, that any person may sustain as a result of the information in, the results of, or anything done or omitted pursuant to, this assessment.